

# Perdue

*design Riccardo Marcuzzo*




Perdue is a portable and rechargeable lamp designed by Riccardo Marcuzzo.

Conceived to transform the way we experience, use and consider light, it has an almost infinite variety of applications and uses.

From its original lighting system to the many possibilities of function and use, Perdue aims to amaze and provide the user a concrete, subjective and functional experience of interaction.

Perdue consists of an ogival shaped lighting body with a sensor activated by a magnetic field. This turns the light on when the lamp comes into contact with its accessories (for table, wall, suspension) or with any metal body. The light intensity can be adjusted with a simple tap on the diffuser.

Thanks to its enormous versatility, Perdue offers the most varied opportunities and applications according to the needs of each user.



## TABLE ACCESSORIES

- Arc 30
- Arc 25
- T-Bar



## WALL ACCESSORIES

*developed by Lumina*

- Wall Bracket
- Wall Disc 19



## PENDANT ACCESSORIES

*developed by Lumina*

- Pendant Bracket
- Pendant Disc 19



## OPERATION TIPS

---

### BATTERY SAFETY MODE



Lock/Unlock the lamp touching the diffuser for 5 seconds.

### SWITCHING ON AND DIMMING



Tapping the diffuser once will turn the lamp on at 100% power, tapping a second time dims it to 30% power, a third time turns the light off.

## OPERATION TIPS

---

### METAL SURFACE CONTACT IGNITION



The lamp turns on when it comes into contact with a metal surface

### CHARGING MODE



Continuous blue light on: battery is charging  
Blue light off: battery is charged  
Blinking blue light: low battery

## TECHNICAL DATA

### FINISHINGS

Matt Black  
3000K - cod. PRDM01010P00

Matt White  
3000K - cod. PRDM01020P00

Metallic Silver  
3000K - cod. PRDM0155MT00

Metallic Bronze  
3000K - cod. PRDM0129MT00

Metallic Champagne  
3000K - cod. PRDM0116MT00

### LIGHT EMISSION


Light source power: 1,72W  
Power absorption: 4,2W  
Light Emission: Diffuse  
Light Direction: Directional  
Light Source: Discrete LED  
Source Flux : 346lm@167mA  
Emitted Flux : 157lm

Efficacy : 89lm/W  
CCT: 3000K (2800K effective)  
CRI: 90  
Lifetime: >55000h



### PACKAGING DATA (single lamp)

Box dimensions: 25x10x10 cm  
Volume: 0,002 m<sup>3</sup>  
Gross weight: 0,4 kg

Battery charging time  
(0-100%)






Battery duration





## ACCESSORIES

(dimensions in cm)



### TABLE



### WALL



### PENDANT







# CONTACTS

## **Lumina Italia Srl**

Via Casorezzo, 63  
20004 Arluno (Milan) - Italy

T. +39 02903752  
[www.lumina.it](http://www.lumina.it)

